

PROGRAM INDEX OF VOLUME 12

Astrophysics

Issue Page Cat.no.

- 2 205 AAID COLLRAD (Fortran). COLLRAD: a code for calculating the quasi—steady state population densities of excited states of hydrogen—like ions. G.J. Tallents.

Atomic Physics

- 2 199 ACWU TANGO (Fortran). Multistate molecular treatment of atomic collisions in the impact parameter approximation. III — Integration of coupled equations and calculation of transition amplitudes for Coulomb trajectories. R.D. Piacentini, A. Salin.
- 2 205 AAID COLLRAD (Fortran). COLLRAD: a code for calculating the quasi—steady state population densities of excited states of hydrogen—like ions. G.J. Tallents.

Crystallography

- 3 305 AAQD FIREBIRD 2 (Fortran). A program for the calculation of the positions of X—ray powder reflections. I.F. Ferguson, R.S. Fox, T.E. Hughes.

General Purpose

- 2 147 ABUO FOURGEN (PL/1). FOURGEN: a fast Fourier transform program generator. J.A. Maruhn.
- 2 163 ACIE SRNG (Fortran). Sequential random integer generator. C.T.K. Kuo, T.W. Cadman, R.J. Arsenault.
- 2 173 ACXB RENYIF, RENYIT, TESKAC (Fortran). Algorithms for the Kac and Renyi tests. J.M.F. Chamayou.

Laser Physics

- 3 323 ACXC PULSAMP (Fortran). PULSAMP: a program to predict the amplification of nano—second CO2 laser light pulses. S.A. Roberts, K. Smith.

Molecular Physics

- 2 199 ACWU TANGO (Fortran). Multistate molecular treatment of atomic collisions in the impact parameter approximation. III — Integration of coupled equations and calculation of transition amplitudes for Coulomb trajectories. R.D. Piacentini, A. Salin.

Nuclear Physics

- 2 237 ABIH PIPIT (Fortran). PIPIT: a momentum space optical potential code for pions. R.A. Eisenstein, F. Tabakin.

Nuclear Physics (cont.)*Issue Page Cat.no.*

- | | | | |
|---|-----|------|--|
| 3 | 277 | AAUR | ONCPLT (Fortran). A program for calculating the observables for single—particle— inclusive production reactions. K.J.M. Moriarty, J.H. Tabor. Subroutine required by this program is AAUN 9(1975)85. |
| 3 | 293 | ABMU | SATTNT—FOR—EFR—MICRO—DWBA (Fortran). Exact—finite—range microscopic calculations for heavy—ion induced two—nucleon transfer reactions. D.H. Feng, B.T. Kim, T. Udagawa, T. Tamura, K.S. Low. |
| 3 | 335 | ACIB | 0001 CALCULATE LATERAL RANGES (Fortran). Adaptation of a program for depth distribution of energy deposition by ion bombardment: calculation of ion lateral ranges. I. Manning, M. Rosen, J.E. Westmoreland. |
| 3 | 339 | ACIB | 000ACORRECTION 21/09/75 (Fortran). Depth distribution of energy deposition by ion bombardment. I. Manning, G.P. Mueller. |
| 3 | 339 | ACIB | 000BCORRECTION 5/03/75 (Fortran). Depth distribution of energy deposition by ion bombardment. I. Manning, G.P. Mueller. |

Plasma Physics

- | | | | |
|---|-----|------|--|
| 2 | 205 | AAID | COLLRAD (Fortran). COLLRAD: a code for calculating the quasi—steady state population densities of excited states of hydrogen—like ions. G.J. Tallents. |
| 2 | 213 | ABUP | GLOWCODE (Fortran). GLOWCODE: a one—dimensional code for the simulation of plasma afterglows. J.W. Long, A.A. Newton, M.C. Sexton. Subroutine required by this program is ABUF 7(1974)245. |
| 2 | 231 | ACXA | AFER (Fortran). Calculation of the energy response of a spectrometer. J. Lotrian, M. Leriche, J. Cariou. |

Radiation Physics

- | | | | |
|---|-----|------|--|
| 3 | 335 | ACIB | 0001 CALCULATE LATERAL RANGES (Fortran). Adaptation of a program for depth distribution of energy deposition by ion bombardment: calculation of ion lateral ranges. I. Manning, M. Rosen, J.E. Westmoreland. |
| 3 | 339 | ACIB | 000ACORRECTION 21/09/75 (Fortran). Depth distribution of energy deposition by ion bombardment. I. Manning, G.P. Mueller. |
| 3 | 339 | ACIB | 000BCORRECTION 5/03/75 (Fortran). Depth distribution of energy deposition by ion bombardment. I. Manning, G.P. Mueller. |

Radiative Transfer

- | | | | |
|---|-----|------|--|
| 2 | 231 | ACXA | AFER (Fortran). Calculation of the energy response of a spectrometer. J. Lotrian, M. Leriche, J. Cariou. |
|---|-----|------|--|

Solid State Physics

- | | | | |
|---|-----|------|--|
| 2 | 179 | ACWY | KCOUL1 (Algol). Coulomb coefficients for complex ionic crystals. D.C. Sutherland, W.G. Ferrier. |
| 3 | 335 | ACIB | 0001 CALCULATE LATERAL RANGES (Fortran). Adaptation of a program for depth distribution of energy deposition by ion bombardment: calculation of ion lateral ranges. I. Manning, M. Rosen, J.E. Westmoreland. |
| 3 | 339 | ACIB | 000ACORRECTION 21/09/75 (Fortran). Depth distribution of energy deposition by ion bombardment. I. Manning, G.P. Mueller. |
| 3 | 339 | ACIB | 000BCORRECTION 5/03/75 (Fortran). Depth distribution of energy deposition by ion bombardment. I. Manning, G.P. Mueller. |

AUTHOR INDEX OF VOLUME 12

Issue Page

- | | | | |
|---|-----|-----------------|---|
| 3 | 261 | I.H. Aldeen | The calculation of eigenvalues and eigenfunctions in an asymptotically Coulomb potential. |
| 3 | 261 | A.C. Allison | The calculation of eigenvalues and eigenfunctions in an asymptotically Coulomb potential. |
| 2 | 135 | K. Appert | Finite element approximation for the wave—particle interaction in weakly turbulent plasmas. |
| 2 | 163 | R.J. Arsenault | Sequential random integer generator. |
| 3 | 267 | R.Ch. Baas | Computer analysis of experimental results on differential scattering of electrons by gases. |
| 1 | 81 | A. Bers | Symbolic computation of nonlinear wave interactions on MACSYMA. |
| 1 | vii | D. Biskamp | Preface. |
| 1 | 67 | J.P. Boris | Numerical solution of continuity equations. |
| 1 | 109 | J.P. Boujot | Computation of Tokamak transport. |
| 1 | 21 | O. Buneman | The advance from 2D electrostatic to 3D electromagnetic particle simulation. |
| 2 | 163 | T.W. Cadman | Sequential random integer generator. |
| 2 | 231 | J. Cariou | Calculation of the energy response of a spectrometer. |
| 2 | 173 | J.M.F. Chamayou | Algorithms for the Kac and Renyi tests. |
| 2 | 237 | R.A. Eisenstein | PIPIT: a momentum space optical potential code for pions. |
| 3 | 293 | D.H. Feng | Exact—finite—range microscopic calculations for heavy—ion induced two—nucleon transfer reactions. |
| 3 | 305 | I.F. Ferguson | A program for the calculation of the positions of X—ray powder reflections. |
| 2 | 179 | W.G. Ferrier | Coulomb coefficients for complex ionic crystals. |
| 3 | 305 | R.S. Fox | A program for the calculation of the positions of X—ray powder reflections. |
| 1 | 121 | E. Graham | Convection in stars. |
| 1 | 45 | R.C. Grimm | Recent developments in the computational aspects of MHD stability. |
| 3 | 305 | T.E. Hughes | A program for the calculation of the positions of X—ray powder reflections. |
| 3 | 261 | M.J. Jamieson | The calculation of eigenvalues and eigenfunctions in an asymptotically Coulomb potential. |
| 3 | 267 | R.H.J. Jansen | Computer analysis of experimental results on differential scattering of electrons by gases. |
| 1 | 45 | J.L. Johnson | Recent developments in the computational aspects of MHD stability. |
| 1 | 81 | C.F.F. Karney | Symbolic computation of nonlinear wave interactions on MACSYMA. |
| 3 | 293 | B.T. Kim | Exact—finite—range microscopic calculations for heavy—ion induced two—nucleon transfer reactions. |

Issue Page

- | | | | |
|---|-----|-----------------|--|
| 1 | 81 | J.L. Kulp | Symbolic computation of nonlinear wave interactions on MACSYMA. |
| 2 | 163 | C.T.K. Kuo | Sequential random integer generator. |
| 1 | 33 | K. Lackner | Computation of ideal MHD equilibria. |
| 2 | 231 | M. Leriche | Calculation of the energy response of a spectrometer. |
| 2 | 213 | J.W. Long | GLOWCODE: a one—dimensional code for the simulation of plasma afterglows. |
| 2 | 231 | J. Lotrian | Calculation of the energy response of a spectrometer. |
| 3 | 293 | K.S. Low | Exact—finite—range microscopic calculations for heavy—ion induced two—nucleon transfer reactions. |
| 3 | 335 | I. Manning | Adaptation of a program for depth distribution of energy deposition by ion bombardment: calculation of ion lateral ranges. |
| 3 | 339 | I. Manning | Erratum notice. Depth distribution of energy deposition by ion bombardment. |
| 2 | 147 | J.A. Maruhn | FOURGEN: a fast Fourier transform program generator. |
| 1 | 109 | C. Mercier | Computation of Tokamak transport. |
| 3 | 277 | K.J.M. Moriarty | A program for calculating the observables for single—particle— inclusive production reactions. |
| 1 | 99 | K.W. Morton | Finite difference and finite element methods. |
| 3 | 339 | G.P. Mueller | Erratum notice. Depth distribution of energy deposition by ion bombardment. |
| 2 | 213 | A.A. Newton | GLOWCODE: a one—dimensional code for the simulation of plasma afterglows. |
| 2 | 145 | A.D. Payne | Comment on the use of FORMAC73 in general relativity. |
| 1 | 9 | M. Petravic | Numerical modelling of pulsar magnetospheres. |
| 2 | 199 | R.D. Piacentini | Multistate molecular treatment of atomic collisions in the impact parameter approximation. III — Integration of coupled equations and calculation of transition amplitudes for Coulomb trajectories. |
| 3 | 323 | S.A. Roberts | PULSAMP: a program to predict the amplification of nano—second CO2 laser light pulses. |
| 3 | 335 | M. Rosen | Adaptation of a program for depth distribution of energy deposition by ion bombardment: calculation of ion lateral ranges. |
| 2 | 199 | A. Salin | Multistate molecular treatment of atomic collisions in the impact parameter approximation. III — Integration of coupled equations and calculation of transition amplitudes for Coulomb trajectories. |
| 2 | 213 | M.C. Sexton | GLOWCODE: a one—dimensional code for the simulation of plasma afterglows. |
| 2 | 125 | V.B. Sheorey | Double Chebyshev expansions for wave functions. |
| 3 | 323 | K. Smith | PULSAMP: a program to predict the amplification of nano—second CO2 laser light pulses. |
| 2 | 179 | D.C. Sutherland | Coulomb coefficients for complex ionic crystals. |
| 2 | 237 | F. Tabakin | PIPIT: a momentum space optical potential code for pions. |
| 3 | 277 | J.H. Tabor | A program for calculating the observables for single—particle— inclusive production reactions. |
| 2 | 205 | G.J. Tallents | COLLRAD: a code for calculating the quasi—steady state population densities of excited states of hydrogen—like ions. |

Issue Page

- | | | | |
|---|-----|-------------------|--|
| 3 | 293 | T. Tamura | Exact—finite—range microscopic calculations for heavy—ion induced two—nucleon transfer reactions. |
| 2 | 135 | T.M. Tran | Finite element approximation for the wave—particle interaction in weakly turbulent plasmas. |
| 1 | 1 | W. Tscharnuter | The formation of protostars. |
| 3 | 293 | T. Udagawa | Exact—finite—range microscopic calculations for heavy—ion induced two—nucleon transfer reactions. |
| 2 | 135 | J. Vaclavik | Finite element approximation for the wave—particle interaction in weakly turbulent plasmas. |
| 1 | 109 | F. Werkoff | Computation of Tokamak transport. |
| 1 | 53 | J.A. Wesson | Non—linear behaviour of hydromagnetic instabilities. |
| 3 | 335 | J.E. Westmoreland | Adaptation of a program for depth distribution of energy deposition by ion bombardment: calculation of ion lateral ranges. |